

## **NAC-221A**

**Column Loudspeaker** 

The NAC-221A is a column speaker with a simple and elegant design. It features an aluminum alloy housing that is waterproof and corrosion-resistant, and it is easy to install. This speaker is suitable for applications such as squares, parks, and other outdoor environments.






## **SPECIFICATION**


Frequency Response	80-18KHz
Sensitivity	91dB±3dB(1m/1w)
Rated Power	20W
Power Taps	10W/20W
Line input	100V
Material	Aluminium
Component	5" Bass*1+1"treble*1
Finished Colour	White
IP Rating	IP55
Weight	3.2kg
Dimension(mm)	323*170*148
Operatiing Temperature	-25°C~+55°C
Warranty	2 Years


# **CIRCUIT DIAGRAM**




## **INSTALLATION**

unit: mm








## **INSTALLATION**


### Step 1

• Drive two expansion screws with a center distanceof 260mm into the installation plane.




#### Step 2

• Fix the mounting bracket on the mounting plane and fasten it with M8 nuts.




### Step 3

• Fix the sound column on the mounting bracket with M8 external hexagon screw and gasket.



### Step 4

• Connect the audio cable and adjust the required tilt angle. Complete installation.





Email: inquiry@sponcomm.com



**Tel:** +86 731 8557 0190