



## SAP-L210SB

Single 18-inch Line Array Subwoofer

LF: 1×18"

102dB Sensitivity

Versatile Applications

Comfortable Tonal Quality

## MAIN FEATURES

### ▲ Audio Performance

- Specialized Speaker Unit: Efficiently designed for rich sound pressure and comfortable audio quality.
- Clear Sound: Delivers clear audio with exceptional spatial perception and texture.


### ▲ Design And Materials

- Quality Construction: Durable enclosure crafted from high-quality plywood.
- Protective Features: Incorporates high-strength steel mesh with waterproof, dustproof, and acoustically transparent sponge. (Weatherproof protection might be various depending on model)

### ▲ Versatile Applications

- Suitable Occasions: Ideal for various venues such as outdoor performances, stadiums, and theaters; Clubs, multi-purpose halls, performance venues, and auditoriums.

## DIMENSION DRAWING



## SPECIFICATION

### POWER PARAMETERS

|                     |       |
|---------------------|-------|
| Rated Power Output: | 700W  |
| Max Power Output:   | 2800W |
| Rated Impedance:    | 8Ω    |

### AUDIO PARAMETERS

|                     |                            |
|---------------------|----------------------------|
| Speaker Component:  | LF: 1×18(100mm Voice Coil) |
| Frequency Response: | 34Hz-210Hz                 |
| Sensitivity:        | 102dB                      |
| Max.SPL:            | 136dB                      |
| Connector:          | 2×Speakon NL4MP(1+, 1-)    |

### MECHANICAL&ENVIRONMENT PROPERTIES


|                           |                                    |
|---------------------------|------------------------------------|
| Mounting Method:          | Hanging, Floor Installation        |
| Installation Environment: | Indoor, Outdoor Locations          |
| Operatiing Temperature:   | 0°C~+55°C                          |
| Operating Humidity:       | < 95%                              |
| Cabinet Material:         | High-Density Premium Birch Plywood |
| Surface Coating:          | Silicon Carbide Coating            |
| Product Dimensions:       | 575×924×700 (mm)                   |
| Product Weight:           | 49.7kg                             |
| Product Warranty:         | 2 Years                            |

### ACCESSORIES

|                                       |
|---------------------------------------|
| 1×Subwoofer Speaker                   |
| 2×Speakon NL4MP                       |
| 1×Quick Installation Guide            |
| 1×Quality Certificate & Warranty Card |

## SPEAKER DIAGRAM


Professional four-core  
connector NL 4MP




## CONNECTION DIAGRAM




SPON SAP-D2160A  
Professional Amplifier



# INSTALLATION METHOD



Hanging Installation



Floor Installation

